

SOLID WOOD FLOORING



EXCLUSIVE HIGH END FLOORING IN TROPICAL HARDWOOD

- * Compliant with the European Timber Regulation (EUTR)
- * Also available with eco-certificate (FSC®, PEFC)
- * Compliant with CE standard

Tropical hardwood is renewable, natural and has a warm appearance

T&G on 4 sides (with or without bevel)

Available in different finishes: unfinished, oiled, UV lacquered

Other finishes available on demand

PACKING

- * "Standard" packing for the professional parquet trade (bulk)
- * "Uni, pulled to length" packing for the woodshops or DIY (carton boxes)





SOLID WOOD FLOORING



Content

Solid parquet unfinished

Afrormosia	p4
Kempas	p4
Keruing	p5
KSK Asian oak	p5
Mahonia	p6
Merbau	p7
Padouk	p9
Palissander / Rosewood	p9
Teak	p10

Solid parquet factory finished

Afrormosia	p11
Oak	p12
Jatoba	p13
KSK Asian oak	p13
KerANJI	p14
Merbau	p15
Padouk	p16
Palissander / Rosewood	p17
Teak	p18



SOLID WOOD FLOORING



G00 - G02 - G04 - GSD



G00: Square edge



G02: Bevel on 2 long sides



G04: Bevel on 4 sides



GSD: Shipdeck

Solid parquet unfinished

AFRORMOSIA (*Pericopsis elata*)

Cameroon, DRC, CAR

Class 1
740 kg/m³



Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
15	120	G02	<u>Variable lengths:</u> 450 - 1200	Uni	2,64m ²

Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
14	20	G00 Industrial	<u>Fixed length:</u> 280	Standard	Bulk

KEMPAS (*Koompassia malaccensis*) - **FSC 100 %**

Indonesia

Class II
880 kg/m³



Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
15	90	G02	<u>Variable lengths:</u> 450 - 1200	Uni	1,404m ²



SOLID WOOD FLOORING



KERUING

FSC 100 %

Class II
880 kg/m³



Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
21	70	G00	<u>Variable lengths:</u> 600-1250	Standard	Bulk

KSK OAK (Asian oak, Kembang semangkok) - 100 % PEFC certified

Malaysia

Class II
630 kg/m³



Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
13	115	G04	<u>Variable lengths:</u> 350 -1200 <u>Fixed lengths:</u> 1800 - 1900 - 2000 - 2100	Uni Standard	Bulk



SOLID WOOD FLOORING



MAHONIA (Swietenia mahagoni)

Fiji



Class II
655 kg /m³

Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
15	85	G00	<u>Variable lengths:</u> 600 - 1500	Standard	Bulk



SOLID WOOD FLOORING



MERBAU (Instia bijuga)

Indonesia



Class I / II
830 kg/m³

Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
14	90	G00	<u>Variable lengths:</u> 300 - 1200	Uni	1,404m ²
14	90	G02	<u>Variable lengths:</u> 300 - 1200 <u>Fixed lengths:</u> 1000 - 1100 - 1200	Uni Standard	1,404m ² Bulk
14	90	G04	<u>Variable lengths:</u> 600 - 1200	Uni	1,404m ²
14	120	G02	<u>Variable lengths:</u> 300 - 1800 <u>Fixed lengths:</u> 1500 - 2100	Uni Standard	1,32m ² Bulk
14	140	G00	<u>Variable lengths:</u> 400 - 2200	Uni	1,54m ²
14	140	G02	<u>Variable lengths:</u> 400 - 2200	Uni	1,54m ²
14	165	G02	<u>Variable lengths:</u> 1000 - 2000	Standard	Bulk



SOLID WOOD FLOORING



MERBAU (Instia bijuga)

Indonesia

Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
20	80	G00	<u>Variable lengths:</u> 600 - 2000	Standard	Bulk
20	90	G00	<u>Variable lengths:</u> 700 - 1500	Standard	Bulk
20	120	G00	<u>Variable lengths:</u> 600 - 2000	Uni	1,32m ²
20	120	G04	<u>Variable lengths:</u> 900 - 1800	Uni	1,32m ²
20	140	G02	<u>Variable lengths:</u> 1000 - 1800	Uni	1,54m ²
20	190	G02	<u>Variable lengths:</u> 1000 - 1800	Standard	Bulk

14	14	G00 Industrial	<u>Fixed length:</u> 220	Standard	Bulk
14	20	G00 Industrial	<u>Fixed length:</u> 250	Standard	Bulk
15	20	G00 Industrial	<u>Fixed length:</u> 300	Standard	Bulk
15	130	G00 T&G Industrieel	<u>Fixed length:</u> 900	Standard	Bulk
20	14	G00 Industrial	<u>Fixed lengths:</u> 250 en 280	Standard	Bulk

PADOUK (Pterocarpus soyauxii)

Cameroon, Gabon



Class I
820 kg/m³

Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
14	165	G00	<u>Fixed length:</u> 2200	Uni	1,815m ²
14	165	G02	<u>Fixed length:</u> 1500	Uni	1,815m ²

PALISSANDER / ROSEWOOD (Dalbergia Latifolia)

Indonesia



Class I
975 kg / m³

Thickness mm	Width mm	Profile	Length mm	Packing	m ² / Box
15	90	G00	<u>Variable lengths:</u> 300 - 950	Standard	Bulk



SOLID WOOD FLOORING



TEAK (Tectona grandis)

Indonesia



Class I
650 kg /m³

Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
14	120	G00	<u>Variable lengths:</u> 450 - 1200	FSC 100 %	Standard	Bulk

15	90	G00	<u>Variable lengths:</u> 300 - 1200	A-Grade	Uni 1200 Uni 1800	2,106m ² 1,48 m ²
15	90	G00	<u>Fixed lengths:</u> 1000-1100	AAA-Grade	Standard	Bulk
15	120	G00	<u>Variable lengths:</u> 300-1200	A-Grade	Uni	1,44 m ² 2,16m ²
15	120	G00	<u>Fixed lengths:</u> 800 -1200	AAA-Grade	Standard	Bulk
15	120	G00	<u>Variable lengths:</u> 450-1200	AAA-Grade	Uni 1200 Uni 1800	1,44 m ² 2,16m ²
15	150	G02	<u>Fixed lengths:</u> 900 - 1800	A-Grade	Standard	Bulk

14	14	G00 Industrial	<u>Fixed length:</u> 280		Standard	Bulk
23	8	G00 Industrial	<u>Fixed length:</u> 280		Standard	Bulk

15	120	G00 layers 2	<u>Fixed lengths:</u> 600-2000		Standard	Bulk
15	140	G00 layers 2	<u>Fixed lengths:</u> 1000-1800		Standard	Bulk

Solid parquet factory finished

AFRORMOSIA (Pericopsis elata)

Cameroon, DRC, CAR

Class I
740 kg/m³



Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
15	90	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,404m ²
15	120	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	2,64m ²

OAK

Class II
920 kg/m³




Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
14	98	Herringbone	<u>Fixed length:</u> 550	UV brushed AB	Uni	1,286m ²
14	190	G04, 14/3	<u>Variable lengths:</u> 600 - 1900	UV brushed 2 tones AB	Uni	2,508m ²
14	190	G04, 14/3	<u>Variable lengths:</u> 400 - 1800	Mat lacquered AB	Uni	2,508m ²

15	150	G04 15/4 ABCD	<u>Variable lengths:</u>	Brushed UV invisible	Uni	
15	150	G04 15/4 ABCD	<u>Variable lengths:</u>	Brushed UV natural	Uni	
15	150	G04 15/4 ABCD	<u>Variable lengths:</u>	Brushed white oiled	Uni	
15	180	G04 15/4	<u>Fixed length:</u> 1800	Brushed white oiled	Uni	

JATOBA (Hymenaea courbaril L.)

Brazil

Class I / II
900 kg / m³



Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
15	180	Multiply	<u>Fixed length:</u> 2200	Sanded	Uni	1,19 m ²
15	180	Multiply	<u>Fixed length:</u> 2200	UV mat lacquered	Uni	1,19 m ²
15	190	Multiply	<u>Fixed length:</u> 2200	Sanded	Uni	1,254 m ²
15	190	Multiply	<u>Fixed length:</u> 2200	UV mat lacquered	Uni	1,254 m ²

KSK OAK (Asian oak, Kembang semangkok) - 100 % PEFC certified

Malaysia

Class II
630 kg/m³



Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
13	115	G04	<u>Variable lengths:</u> 350 - 2000 <u>Fixed lengths:</u> 1100 / 1400 / 1600 / 1800 / 2000	White wash mat lacquer	Standard	Bulk
13	115	G04	<u>Fixed lengths:</u> 400 / 500 / 700 / 800 / 900 / 1000 / 1100 / 1200	White oiled	Standard	Bulk




SOLID WOOD FLOORING



KERANJI (Dialium spp. Leguminosae)

Indonesia



Class III
1000 kg / m²

Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
15	90	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,404 m ²

MERBAU (Instia bijuga)

Indonesia



Class I / II
830 kg/m³

Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
10	70	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,68m ²

14	90	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,404 m ²
14	90	G04	<u>Variable lengths:</u> 600 - 1200	Oiled	Uni	1,404 m ²
14	120	G04	<u>Variable lengths:</u> 600-2200 <u>Fixed lengths:</u> 1700-2100	UV lacquered	Uni Standard	1,32m ²
14	140	G04	<u>Variable lengths:</u> 600 - 2200	UV lacquered	Uni	1,54m ²
14	140	G04	<u>Fixed lengths:</u> 1700 - 2100	UV lacquered	Uni	1,54m ²
14	140	G04	<u>Variable lengths:</u> 600 - 2200	UV lacquered WENGE COLOUR	Uni	1,54m ²



SOLID WOOD FLOORING



PADOUK (Pterocarpus soyauxii)

Cameroon, Gabon



Class I
820 kg/m³

Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
14	90	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,404 m ²
14	120	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,152m ²
14	140	G04	<u>Variable lengths:</u> 600 - 2200	UV lacquered	Uni	1,47m ²



SOLID WOOD FLOORING



PALISSANDER / ROSEWOOD (Dalbergia Latifolia)

Indonesia



Class I
975 kg / m³

Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
15	90	G04	<u>Variable lengths:</u> 300-1200	UV lacquered	Standard	Bulk
15	120	G04	<u>Variable lengths:</u> 300-1200	UV lacquered	Standard	Bulk

TEAK (Tectona grandis)

Indonesia



Class I
650 kg /m³

Thickness mm	Width mm	Profile	Length mm		Packing	m ² / Box
12	70	Shipdeck sika joint	<u>Variable lengths:</u> 300-1200	AAA-Grade Pre oiled	Uni	1,68m ²
12	90	Shipdeck sika joint	<u>Variable lengths:</u> 300-1200	AAA-Grade Pre oiled	Uni	

14	90	G04	<u>Variable lengths:</u> 300-1200	A-Grade FSC 100 % UV lacquered	Uni	1,404m ²
----	----	-----	--------------------------------------	---	-----	---------------------

15	90	G04	<u>Variable lengths:</u> 300 - 1200	A-Grade UV oiled	Uni	1,404m ²
15	90	G04	<u>Variable lengths:</u> 300 - 1200	A-Grade UV lacquered	Uni	1,404m ²
15	90	G04	<u>Variable lengths:</u> 300 - 1200	B-grade STAINED UV lacquered	Uni	1,404m ²
15	120	G04	<u>Variable lengths:</u> <u>300- 1200</u>	A-Grade UV lacquered	Uni 1800	2,16 m ²
15	120	G04	<u>Variable lengths:</u> 450-1200	AAA-Grade UV lacquered	Standard	Bulk
15	120	G04	<u>Variable lengths:</u> 300 - 1200	B-grade STAINED UV lacquered	Uni	1,440 m ²